

## **MOTOR DATA SHEET**

Motor type: ESg254T-6



03-0	5 - 2025	

	ELECTRICAL PARAMETERS																
U	CONN.	f	I	P	Duty	I	n	Т	TL/T	TB/T	IL/I	Effici	ency at loa	d [%]	Powe	r factor at l	oad [-]
V	-	Hz	kW	HP	-	А	rpm	Nm	-	-	-	2/4	3/4	4/4	2/4	3/4	4/4
460		60	5.5	7.5	cont.	9.2	1180		2.6	2.2	6.4	88.4	89.7	89.5			

GENERAL DATA							
Efficiency class	NEMA EPACT	Frame size	254				
Number of poles	6	Insulation class	F				
Frequency converter supply	on demand	Cooling method	IC411				
Direction of rotation	CW/CCW	Painting	RAL5010				
Climatic execution	Ν						

ENVIRONMENTAL CONDITIONS							
Ambient temperature [°C]	up to +40	Altitude above sea level [m]	up to 1000				
Relative humidity [%]	up to 95						

Optional accessories on demand							
STANDARDS							
NEMA MG-1							
NEMA MG-1							

CSA							
ADDITIONAL INFO							
NEMA code letter	G						

CERTIFICATES

As part of our development program, we reserve the rights to alter or amend any of the specifications without giving prior notice.

Copyright © 2025 Cantoni Group www.cantonigroup.com

